Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**
Allergy Alert	**Allergy Alert**	**Allergy Alert**

Public Health
Seattle & King County
HEALTHY PEOPLE. HEALTHY COMMUNITIES.

CLIA Temperature Log

Site: _____ Month:_____ Year:_____

Date:	Refrigerator (degrees celcius)	Refrigerator (degrees celcius)	Incubator (degrees celcius)
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

Record the temperature daily when clinic open and keep this record available for accreditation for 2 years. The refrigerator should be kept between 6-8ºc. The incubator should be set at 35ºc, maintain a range of 34-37ºc and keep a cup of water in incubator for moisture.

Reviewed by: _____ Date:_____

Last updated: 6/25/01

Colposcopy Log

Date	Name	Age	GxPx	Referral Pap Test	Colposcopic Impression	Colposcopy Adequacy	Colpo Pap	Biopsy Results	ECC Results	Management	Follow Up Result

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

DO NOT PURGE

IUD: ρ T380A ρ LngIUS

Date_____

Implant: ρ Norplant ρ Implanon

Date_____

Other: _____

Family Planning Program Lab Test Tracking Log

Client Name/ID Number	Collect initials/ date	Ins Info	TEST ORDERED									Lab Sticker
			PAP	**CT**	**GC**	**RPR**	**HIV**	**HSV**	**HCG**	**Hct/Hgb**	**Other**	
		❑Yes ❑No	❑ Abnl ❑ NL	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg			
Results Received date and initials:												
			PAP	**CT**	**GC**	**RPR**	**HIV**	**HSV**	**HCG**	**Hct/Hgb**	**Other**	
		❑Yes ❑ No	❑ Abnl ❑ NL	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg			
Results Received date and initials:												
			PAP	**CT**	**GC**	**RPR**	**HIV**	**HSV**	**HCG**	**Hct/Hgb**	**Other**	
		❑Yes ❑ No	❑ Abnl ❑ NL	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg			
Results Received date and initials:												
			PAP	**CT**	**GC**	**RPR**	**HIV**	**HSV**	**HCG**	**Hct/Hgb**	**Other**	
		❑Yes ❑ No	❑ Abnl ❑ NL	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg	❑ Pos ❑ Neg			
Results Received date and initials:												

Copy double-sided with 3 hole punch at the top of the title. Keep log sheets for 3 years, then shred.

Last updated: 04/05

Public Health
Seattle & King County
HEALTHY PEOPLE. HEALTHY COMMUNITIES.

PHSKC Family Planning Medication Dispensing Log

Clinic Site: _____

Date Initials	**Drug Name, Dose, Qty, Manufacturer, Lot, Exp** (place medication label here)	**Patient Name, PHSKC ID #** (place patient label here)

Public Health
Seattle & King County
HEALTHY PEOPLE. HEALTHY COMMUNITIES.

Last updated: 03/03/03 (Copy double-sided, 3 hole punch on left side. Keep log sheet for 3 years then shred)

CS 13.22.91, 450-0495

Last Update: 8.25.04

Pharmacy Implant & Intrauterine System Log

(Keep for 15 years)

Patient Information	Date of Service	Type of Device	Lot #	Expiration Date
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		
Patient Name: Client #: DOB:		❑ T380 A ❑ LNG IUS ❑ Norplant ❑ Implanon		

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Encounter # _____

_____

_____

Stocking
Stock no more than _____ units in this box and no fewer than _____ units.

Urine Dip Results Sticker

Last updated: 6/28/01

BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030

BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030
BLOOD	BILIRUBIN	UROBILINOGEN	KETONES	GLUCOSE	PROTEIN	NITRITE	LEUKOCYTES	pH	SPEC. GRAVITY
Neg	Neg	Normal	Neg	Normal	Neg		Neg	5	1.000
Tr	+	1	Sml	50	Tr	Neg	Tr	6	1.005
-50	++	4	Mod	100	30	Pos	+	7	1.010
-250	+++	8	Lrg	150	100		++	8	1.015
		12		500	500			9	1.020
				1000l					1.025
									1.030