

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Ballard		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			44876		
Age 0-17 (%)	21.8%			15.2%			14.6%		
Age 65+ (%)	10.5%			12.1%			13.2%		
White (%)	80.0%			73.9%			92.1%		
Black (%)	6.3%			9.7%			2.1%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.1%		
Asian/PI (%)	12.7%			15.2%			4.7%		
Hispanic (%)	6.0%			5.8%			4.4%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			6.6%		
Percent below 200% poverty	19.6%			25.0%			17.2%		
Percent Foreign Born	15.4%			16.9%			9.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		81.7	[80.8, 82.5]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		33.6	[32.9, 34.3]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	3.7	[1.4, 7.9]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	5.1	[4.1, 6.3]	82
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	0.8	[0.4, 1.4]	13
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	9.4	[8.0, 11.0]	152
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	3.4	[1.1, 7.7]	5
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	166.8	[147.0, 189.5]	274
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	165.1	[144.4, 188.7]	245
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	49.7	[38.3, 64.2]	69
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	14.0	[8.7, 22.5]	23
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	19.1	[10.8, 34.0]	17
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	50.5	[40.1, 63.7]	88
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	10.2	[5.7, 18.1]	16
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	39.9	[30.3, 52.5]	62
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	34.2	[25.2, 46.4]	51
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	6.0	[2.7, 12.8]	9
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	3.7	[1.1, 10.2]	5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	10.1	[5.5, 18.0]	16
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	8.31	[5.0, 13.7]	20
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	8.7	[4.3, 16.6]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	2.3	[0.8, 5.9]	6
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	12.1	[7.3, 20.2]	20
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	8.7	[4.6, 16.3]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	7.8	[4.1, 15.0]	13

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Beacon/G'town/S.Park		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			37200		
Age 0-17 (%)	21.8%			15.2%			23.3%		
Age 65+ (%)	10.5%			12.1%			12.4%		
White (%)	80.0%			73.9%			31.2%		
Black (%)	6.3%			9.7%			18.1%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.5%		
Asian/PI (%)	12.7%			15.2%			49.3%		
Hispanic (%)	6.0%			5.8%			11.3%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			15.3%		
Percent below 200% poverty	19.6%			25.0%			36.0%		
Percent Foreign Born	15.4%			16.9%			41.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		79.5	[78.6, 80.4]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		32.2	[31.5, 32.9]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	6.8	[3.3, 12.4]	10
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	7.4	[6.0, 8.9]	106
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	0.6	[0.3, 1.2]	9
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	13.5	[11.7, 15.5]	194
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	22.2	[16.3, 29.5]	47
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	165.8	[142.3, 192.2]	178
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	191.9	[166.9, 219.7]	212
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	55.1	[42.1, 70.9]	61
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	22.1	[14.1, 33.0]	24
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	25.5	[14.2, 42.7]	15
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	68.1	[53.4, 85.8]	73
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	49.5	[37.1, 64.9]	53
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	103.1	[84.8, 124.2]	111
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	22.5	[14.4, 33.6]	24
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	8.9	[4.3, 16.6]	10
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	6.8	[2.9, 13.6]	8
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	7.2	[3.1, 14.4]	8
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	8.01	[4.5, 13.4]	15
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	10.7	[5.5, 18.9]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	6.0	[3.0, 10.8]	11
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	20.0	[12.4, 30.7]	21
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	9.8	[4.9, 17.7]	11
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	8.9	[4.3, 16.7]	10

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Capitol Hill		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			41351		
Age 0-17 (%)	21.8%			15.2%			9.1%		
Age 65+ (%)	10.5%			12.1%			9.3%		
White (%)	80.0%			73.9%			87.1%		
Black (%)	6.3%			9.7%			5.9%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.8%		
Asian/PI (%)	12.7%			15.2%			6.3%		
Hispanic (%)	6.0%			5.8%			4.0%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			10.1%		
Percent below 200% poverty	19.6%			25.0%			22.3%		
Percent Foreign Born	15.4%			16.9%			10.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		82.3	[81.3, 83.3]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		34.8	[34.0, 35.6]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	5.9	[4.4, 7.8]	50
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.1	[0.5, 2.0]	9
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	10.9	[8.8, 13.4]	92
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	9.2	[4.0, 18.1]	8
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	139.7	[117.9, 166.2]	152
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	137.2	[115.0, 164.4]	139
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	43.8	[31.5, 61.4]	43
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	7.6	[3.2, 18.4]	8
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	19.5	[9.5, 41.5]	11
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	52.7	[39.6, 71.1]	56
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	15.5	[8.5, 28.3]	15
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	36.6	[25.5, 53.1]	37
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	23.5	[14.9, 37.7]	24
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	7.9	[3.8, 18.3]	10
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	16.1	[9.1, 29.0]	20
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	7.07	[3.9, 13.8]	15
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	5.6	[2.2, 15.7]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	16.1	[11.2, 24.2]	37
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	10.3	[5.3, 21.4]	12
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	7.9	[3.8, 18.3]	10
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	16.2	[10.0, 28.0]	22

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Central Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			39942		
Age 0-17 (%)	21.8%			15.2%			18.1%		
Age 65+ (%)	10.5%			12.1%			12.3%		
White (%)	80.0%			73.9%			51.2%		
Black (%)	6.3%			9.7%			31.5%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.1%		
Asian/PI (%)	12.7%			15.2%			16.2%		
Hispanic (%)	6.0%			5.8%			8.6%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			17.1%		
Percent below 200% poverty	19.6%			25.0%			34.0%		
Percent Foreign Born	15.4%			16.9%			18.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		76.8	[75.8, 77.8]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		30.7	[29.9, 31.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	8.9	[4.8, 15.2]	13
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	8.3	[6.9, 9.9]	119
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.7	[1.1, 2.6]	25
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	13.4	[11.6, 15.4]	191
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	13.2	[8.5, 19.5]	25
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	177.8	[154.9, 203.6]	220
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	207.3	[181.9, 235.6]	244
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	66.3	[52.2, 83.6]	76
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	21.8	[14.2, 32.6]	26
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	22.2	[12.5, 38.4]	16
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	61.2	[48.3, 77.1]	78
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	38.1	[27.7, 51.6]	45
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	102.2	[84.7, 122.7]	121
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	36.5	[26.5, 49.7]	44
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	11.1	[5.9, 19.6]	13
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	9.2	[4.7, 17.0]	12
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	11.7	[6.4, 20.4]	14
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	13.32	[8.7, 19.8]	27
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	9.9	[5.0, 18.2]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	20.5	[14.8, 28.0]	43
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	17.5	[11.0, 27.1]	23
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	11.8	[6.4, 20.4]	14
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	21.6	[14.3, 32.1]	28

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Downtown/First Hill		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			38108		
Age 0-17 (%)	21.8%			15.2%			4.8%		
Age 65+ (%)	10.5%			12.1%			13.3%		
White (%)	80.0%			73.9%			68.1%		
Black (%)	6.3%			9.7%			14.5%		
American Indian/Alaska Native (%)	1.0%			1.1%			2.1%		
Asian/PI (%)	12.7%			15.2%			15.4%		
Hispanic (%)	6.0%			5.8%			6.6%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			28.5%		
Percent below 200% poverty	19.6%			25.0%			45.9%		
Percent Foreign Born	15.4%			16.9%			19.0%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		75.5	[74.3, 76.8]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		30.0	[29.2, 30.8]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	7.9	[5.7, 10.7]	41
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.2	[0.4, 2.5]	6
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	15.2	[12.1, 18.9]	80
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	21.2	[11.0, 37.0]	12
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	214.0	[188.9, 249.4]	289
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	195.3	[170.7, 230.2]	241
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	51.0	[38.7, 76.0]	60
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	18.1	[11.4, 39.8]	24
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	17.2	[8.0, 58.3]	11
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	50.4	[39.7, 73.9]	81
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	23.3	[15.5, 45.6]	30
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	66.2	[52.4, 92.1]	83
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	48.8	[36.9, 73.4]	60
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	22.9	[15.0, 45.3]	26
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	6.6	[2.9, 27.9]	9
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	22.2	[10.7, 48.8]	23
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	5.01	[2.5, 17.9]	11
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	13.7	[4.0, 40.3]	11
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	27.2	[20.5, 41.8]	55
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	18.5	[12.1, 39.9]	29
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	33.6	[23.7, 56.9]	38
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	51.8	[39.8, 76.4]	65

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Fremont/Greenlake		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			41098		
Age 0-17 (%)	21.8%			15.2%			11.2%		
Age 65+ (%)	10.5%			12.1%			8.5%		
White (%)	80.0%			73.9%			91.1%		
Black (%)	6.3%			9.7%			2.0%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.8%		
Asian/PI (%)	12.7%			15.2%			6.1%		
Hispanic (%)	6.0%			5.8%			3.6%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			7.7%		
Percent below 200% poverty	19.6%			25.0%			18.4%		
Percent Foreign Born	15.4%			16.9%			8.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		81.3	[80.5, 82.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		32.7	[31.8, 33.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	4.4	[3.4, 5.6]	63
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	0.8	[0.4, 1.5]	12
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	9.1	[7.6, 10.8]	131
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	NA		<5
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	168.2	[143.7, 197.0]	188
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	156.3	[131.7, 185.2]	161
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	38.2	[26.3, 55.0]	36
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	20.8	[12.1, 34.6]	20
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	27.9	[16.5, 48.7]	19
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	64.8	[50.1, 83.8]	73
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	31.7	[20.5, 47.9]	28
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	62.3	[46.3, 83.0]	57
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	17.5	[10.4, 29.5]	20
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	5.8	[2.2, 15.0]	7
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	13.4	[7.5, 24.3]	17
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	7.42	[4.0, 13.8]	16
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	5.5	[1.9, 14.7]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	3.6	[1.5, 8.7]	8
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	20.9	[13.3, 33.1]	25
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	7.0	[2.9, 16.5]	8
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	8.0	[3.9, 17.3]	11

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Northeast Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			72605		
Age 0-17 (%)	21.8%			15.2%			13.5%		
Age 65+ (%)	10.5%			12.1%			10.4%		
White (%)	80.0%			73.9%			83.7%		
Black (%)	6.3%			9.7%			2.5%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.6%		
Asian/PI (%)	12.7%			15.2%			13.2%		
Hispanic (%)	6.0%			5.8%			3.6%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			13.9%		
Percent below 200% poverty	19.6%			25.0%			26.1%		
Percent Foreign Born	15.4%			16.9%			13.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		83.8	[83.1, 84.5]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		35.4	[34.8, 35.9]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	4.2	[1.9, 8.0]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	6.4	[5.3, 7.5]	80
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	0.8	[0.5, 1.3]	14
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	11.7	[10.2, 13.2]	184
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	2.7	[1.0, 5.8]	12
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	126.9	[125.2, 163.8]	257
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	164.7	[154.4, 200.1]	309
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	38.6	[26.1, 47.5]	72
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	12.5	[11.5, 28.0]	24
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	25.8	[8.9, 31.9]	27
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	41.0	[41.3, 65.6]	83
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	11.9	[8.5, 23.2]	21
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	28.8	[30.3, 53.3]	53
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	19.1	[19.8, 38.6]	38
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	2.9	[8.0, 23.2]	5
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	6.2	[4.0, 16.5]	14
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	5.05	[3.8, 12.3]	18
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	3.3	[2.2, 11.9]	8
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	2.0	[0.7, 4.7]	11
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	15.9	[10.3, 24.7]	22
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	4.6	[2.0, 9.7]	17
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	7.6	[4.3, 13.3]	15

Health Planning Areas in Seattle (block group based):

	King County			Seattle			North Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			41601		
Age 0-17 (%)	21.8%			15.2%			15.7%		
Age 65+ (%)	10.5%			12.1%			14.4%		
White (%)	80.0%			73.9%			76.9%		
Black (%)	6.3%			9.7%			5.9%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.0%		
Asian/PI (%)	12.7%			15.2%			16.2%		
Hispanic (%)	6.0%			5.8%			6.1%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			11.5%		
Percent below 200% poverty	19.6%			25.0%			23.9%		
Percent Foreign Born	15.4%			16.9%			19.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		81.7	[80.8, 82.6]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		34.3	[33.6, 35.0]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	4.1	[1.5, 8.8]	9
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	5.6	[4.4, 6.9]	133
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.0	[0.5, 1.6]	17
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	12.7	[11.0, 14.7]	244
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	7.5	[3.9, 13.1]	6
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	143.1	[111.7, 144.0]	245
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	175.8	[146.6, 184.8]	261
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	35.2	[30.1, 49.2]	52
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	18.0	[8.0, 19.3]	26
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	16.8	[16.9, 39.1]	14
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	52.0	[32.6, 51.4]	87
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	14.1	[7.3, 18.9]	20
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	40.2	[21.5, 38.2]	59
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	27.6	[13.5, 26.8]	43
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	13.9	[0.9, 7.6]	17
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	5.2	[0.5, 6.2]	7
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	8.4	[3.3, 11.4]	10
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	6.96	[2.9, 8.6]	14
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	5.2	[1.4, 7.7]	8
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	5.0	[2.5, 9.7]	6
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	10.6	[6.7, 16.8]	27
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	13.8	[8.0, 23.1]	8
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	11.4	[6.4, 20.0]	18

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Northwest Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			41916		
Age 0-17 (%)	21.8%			15.2%			15.0%		
Age 65+ (%)	10.5%			12.1%			15.0%		
White (%)	80.0%			73.9%			79.4%		
Black (%)	6.3%			9.7%			5.6%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.5%		
Asian/PI (%)	12.7%			15.2%			13.4%		
Hispanic (%)	6.0%			5.8%			6.2%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			11.5%		
Percent below 200% poverty	19.6%			25.0%			26.1%		
Percent Foreign Born	15.4%			16.9%			19.1%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		78.7	[77.9, 79.5]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		30.7	[30.0, 31.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	5.8	[4.6, 7.2]	79
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.3	[0.8, 2.1]	18
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	13.3	[11.5, 15.4]	181
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	10.3	[5.8, 17.0]	15
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	191.8	[171.2, 215.2]	337
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	187.0	[165.0, 212.0]	278
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	53.5	[41.8, 68.3]	76
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	13.6	[8.2, 22.4]	21
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	18.2	[10.0, 33.6]	16
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	58.1	[47.5, 71.4]	112
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	23.5	[16.4, 33.8]	38
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	57.8	[46.2, 72.5]	92
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	42.9	[33.2, 55.7]	71
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	7.1	[3.3, 14.6]	10
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	4.6	[1.6, 11.5]	6
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	10.6	[5.9, 18.7]	16
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	5.65	[3.0, 10.5]	13
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	6.6	[2.7, 14.5]	8
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	5.7	[3.0, 10.7]	12
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	19.8	[13.5, 29.4]	34
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	8.3	[4.1, 16.2]	11
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	11.5	[6.6, 20.1]	16

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Queen Anne/Magnolia		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			54562		
Age 0-17 (%)	21.8%			15.2%			11.1%		
Age 65+ (%)	10.5%			12.1%			12.3%		
White (%)	80.0%			73.9%			90.4%		
Black (%)	6.3%			9.7%			2.4%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.7%		
Asian/PI (%)	12.7%			15.2%			6.4%		
Hispanic (%)	6.0%			5.8%			3.6%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			6.0%		
Percent below 200% poverty	19.6%			25.0%			14.7%		
Percent Foreign Born	15.4%			16.9%			10.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		82.2	[81.4, 82.9]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		34.0	[33.4, 34.6]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	5.6	[4.5, 6.9]	85
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	0.8	[0.4, 1.4]	12
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	10.8	[9.2, 12.5]	165
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	NA		<5
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	149.2	[131.7, 169.5]	280
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	164.5	[145.5, 186.4]	283
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	40.3	[31.0, 52.7]	66
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	11.8	[7.1, 20.0]	20
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	25.5	[16.2, 41.7]	25
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	49.1	[39.9, 61.3]	101
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	19.5	[13.4, 28.9]	34
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	45.4	[35.7, 58.2]	79
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	33.2	[25.2, 44.3]	61
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	10.2	[5.9, 18.0]	17
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	8.2	[4.5, 15.4]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	2.91	[1.4, 6.7]	10
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	6.0	[3.1, 12.6]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	5.1	[2.8, 9.5]	14
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	14.6	[9.7, 22.6]	30
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	13.8	[8.7, 22.2]	23
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	9.9	[5.9, 17.4]	19

Health Planning Areas in Seattle (block group based):

	King County			Seattle			Southeast Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			45407		
Age 0-17 (%)	21.8%			15.2%			24.5%		
Age 65+ (%)	10.5%			12.1%			12.1%		
White (%)	80.0%			73.9%			36.2%		
Black (%)	6.3%			9.7%			29.6%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.1%		
Asian/PI (%)	12.7%			15.2%			33.2%		
Hispanic (%)	6.0%			5.8%			7.0%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			12.3%		
Percent below 200% poverty	19.6%			25.0%			29.0%		
Percent Foreign Born	15.4%			16.9%			28.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		78.5	[77.6, 79.3]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		31.5	[30.8, 32.1]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	5.1	[2.5, 9.4]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	7.6	[6.4, 8.9]	63
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.6	[1.1, 2.3]	13
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	14.7	[13.0, 16.5]	151
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	20.0	[15.3, 25.8]	37
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	200.9	[177.8, 226.3]	274
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	176.9	[155.1, 201.0]	239
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	48.3	[37.3, 61.8]	65
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	14.1	[8.4, 22.1]	19
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	20.8	[11.8, 34.4]	16
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	56.5	[44.6, 70.7]	78
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	37.7	[28.1, 49.7]	51
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	96.6	[80.7, 114.8]	131
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	43.9	[33.4, 56.8]	59
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	13.3	[7.8, 21.1]	18
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	13.1	[7.6, 21.1]	17
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	5.8	[2.5, 11.6]	8
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	11.70	[7.6, 17.2]	26
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	6.6	[3.0, 12.6]	9
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	2.9	[1.2, 6.0]	10
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	21.1	[15.4, 28.8]	23
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	7.4	[3.9, 13.2]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	10.6	[6.2, 17.2]	14

Health Planning Areas in Seattle (block group based):

	King County			Seattle			West Seattle		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			579392			48612		
Age 0-17 (%)	21.8%			15.2%			15.4%		
Age 65+ (%)	10.5%			12.1%			16.0%		
White (%)	80.0%			73.9%			91.0%		
Black (%)	6.3%			9.7%			2.7%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.0%		
Asian/PI (%)	12.7%			15.2%			5.2%		
Hispanic (%)	6.0%			5.8%			4.1%		
2000 Census Data									
Percent below poverty	8.4%			11.8%			4.6%		
Percent below 200% poverty	19.6%			25.0%			11.7%		
Percent Foreign Born	15.4%			16.9%			7.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		78.8	[80.0, 80.5]		81.0	[80.2, 81.7]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		31.2	[32.4, 32.8]		32.8	[32.3, 33.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.3	[3.4, 5.4]	81	4.4	[1.8, 8.9]	7
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.4	[6.0, 6.8]	1184	6.9	[5.7, 8.3]	109
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.1	[0.9, 1.2]	201	1.6	[1.0, 2.3]	25
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.1	[11.6, 12.7]	2254	11.5	[9.9, 13.3]	183
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	11.6	[10.2, 13.2]	240	4.6	[1.9, 9.4]	7
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	166.4	[160.6, 172.5]	3185	157.0	[140.4, 175.9]	351
Cancer	177.9	[174.1, 181.7]	8559	173.3	[167.1, 179.7]	3051	150.3	[132.9, 170.0]	295
Lung Cancer	49.1	[47.1, 51.2]	2319	46.1	[42.8, 49.5]	783	38.6	[29.9, 50.0]	72
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.5	[13.7, 17.5]	278	14.0	[9.3, 21.4]	30
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.6	[18.8, 24.9]	219	15.6	[9.4, 27.3]	21
Stroke	59.7	[57.6, 61.9]	2910	54.1	[50.9, 57.5]	1076	55.1	[45.7, 67.0]	129
Diabetes	21.6	[20.3, 23.0]	1040	23.6	[21.4, 26.1]	414	19.7	[13.6, 28.6]	37
Diabetes-Related	60.1	[57.9, 62.4]	2873	60.1	[56.5, 63.9]	1070	55.1	[45.0, 67.8]	112
CLRD	36.2	[34.5, 38.0]	1716	34.0	[31.3, 36.9]	623	41.3	[33.0, 51.9]	92
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.5	[8.1, 11.2]	165	9.0	[5.2, 15.8]	17
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	4.5	[3.6, 5.7]	85	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	10.1	[8.7, 11.7]	187	13.9	[8.2, 22.6]	20
Firearm-related deaths	7.4	[6.8, 8.0]	663	7.01	[6.1, 8.1]	217	7.63	[4.3, 13.0]	17
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.4	[5.3, 7.7]	119	4.2	[1.5, 10.3]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	7.6	[6.6, 8.7]	231	2.1	[0.8, 5.4]	6
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	15.5	[13.8, 17.4]	314	14.3	[9.8, 21.5]	34
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	11.2	[9.6, 12.9]	194	11.5	[7.1, 18.8]	22
Drug-induced deaths	9.7	[8.9, 10.6]	558	13.6	[12.0, 15.5]	258	7.8	[3.8, 15.0]	12

Health Planning Areas in the North Region (block group based):

	King County			North Region			Bothell/North Shore		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			143223			49634		
Age 0-17 (%)	21.8%			24.1%			22.9%		
Age 65+ (%)	10.5%			11.0%			11.0%		
White (%)	80.0%			86.7%			89.2%		
Black (%)	6.3%			2.3%			1.9%		
American Indian/Alaska Native (%)	1.0%			0.7%			0.6%		
Asian/PI (%)	12.7%			10.3%			8.3%		
Hispanic (%)	6.0%			4.4%			4.0%		
2000 Census Data									
Percent below poverty	8.4%			5.4%			5.1%		
Percent below 200% poverty	19.6%			13.9%			13.1%		
Percent Foreign Born	15.4%			13.0%			11.5%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		79.9	[79.5, 80.3]		80.4	[79.7, 81.1]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.0	[31.7, 32.4]		32.1	[31.6, 32.7]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.5	[2.8, 7.0]	20	3.7	[1.4, 8.0]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.1	[5.4, 6.8]	267	5.5	[4.4, 6.8]	88
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.7	[0.5, 1.0]	31	0.4	[0.1, 0.8]	6
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	11.5	[10.5, 12.5]	503	10.3	[8.8, 12.0]	165
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	5.2	[3.9, 6.8]	51	7.6	[4.9, 11.3]	25
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	172.0	[159.4, 185.3]	699	163.5	[142.1, 187.4]	212
Cancer	177.9	[174.1, 181.7]	8559	174.9	[162.2, 188.5]	710	182.0	[159.8, 206.5]	249
Lung Cancer	49.1	[47.1, 51.2]	2319	45.6	[39.1, 52.8]	182	43.1	[32.6, 55.9]	58
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.8	[12.2, 20.3]	65	15.7	[9.6, 24.2]	21
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.3	[15.7, 28.4]	49	29.4	[18.6, 45.1]	23
Stroke	59.7	[57.6, 61.9]	2910	61.4	[54.0, 69.6]	249	59.2	[46.3, 74.5]	73
Diabetes	21.6	[20.3, 23.0]	1040	17.8	[13.9, 22.5]	72	8.9	[4.6, 15.9]	12
Diabetes-Related	60.1	[57.9, 62.4]	2873	50.5	[43.7, 58.1]	202	40.4	[30.1, 53.2]	52
CLRD	36.2	[34.5, 38.0]	1716	34.2	[28.7, 40.6]	136	31.9	[22.9, 43.5]	41
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.6	[4.3, 9.7]	27	3.8	[1.2, 9.2]	5
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	5.0	[0.5, 3.4]	6	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	11.6	[8.2, 14.9]	50	9.5	[5.3, 16.2]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.85	[4.2, 8.0]	41	4.60	[2.4, 8.3]	12
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	10.2	[5.6, 11.4]	34	6.5	[2.9, 12.7]	9
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	1.5	[0.8, 2.8]	12	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.7	[14.8, 23.5]	77	15.5	[9.4, 24.1]	20
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	6.9	[4.7, 10.1]	30	6.3	[2.8, 12.4]	9
Drug-induced deaths	9.7	[8.9, 10.6]	558	7.9	[5.6, 11.1]	37	7.9	[4.2, 14.1]	13

Health Planning Areas in the North Region (block group based):

	King County			North Region			Riverview/Lower Valley		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			143223			52470		
Age 0-17 (%)	21.8%			24.1%			29.7%		
Age 65+ (%)	10.5%			11.0%			5.6%		
White (%)	80.0%			86.7%			93.7%		
Black (%)	6.3%			2.3%			0.9%		
American Indian/Alaska Native (%)	1.0%			0.7%			0.7%		
Asian/PI (%)	12.7%			10.3%			4.7%		
Hispanic (%)	6.0%			4.4%			4.3%		
2000 Census Data									
Percent below poverty	8.4%			5.4%			3.6%		
Percent below 200% poverty	19.6%			13.9%			9.2%		
Percent Foreign Born	15.4%			13.0%			7.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		79.9	[79.5, 80.3]		80.2	[79.3, 81.0]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.0	[31.7, 32.4]		32.2	[31.5, 32.9]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.5	[2.8, 7.0]	20	4.8	[2.2, 9.1]	9
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.1	[5.4, 6.8]	267	5.3	[4.3, 6.5]	98
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.7	[0.5, 1.0]	31	0.8	[0.5, 1.3]	15
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	11.5	[10.5, 12.5]	503	9.5	[8.1, 11.0]	175
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	5.2	[3.9, 6.8]	51	5.8	[3.8, 8.6]	25
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	172.0	[159.4, 185.3]	699	167.0	[137.7, 200.9]	121
Cancer	177.9	[174.1, 181.7]	8559	174.9	[162.2, 188.5]	710	191.0	[161.1, 225.1]	166
Lung Cancer	49.1	[47.1, 51.2]	2319	45.6	[39.1, 52.8]	182	49.0	[34.5, 68.0]	43
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.8	[12.2, 20.3]	65	17.6	[9.8, 29.9]	17
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.3	[15.7, 28.4]	49	20.3	[9.4, 39.3]	11
Stroke	59.7	[57.6, 61.9]	2910	61.4	[54.0, 69.6]	249	60.0	[42.5, 82.2]	39
Diabetes	21.6	[20.3, 23.0]	1040	17.8	[13.9, 22.5]	72	30.1	[18.5, 46.6]	21
Diabetes-Related	60.1	[57.9, 62.4]	2873	50.5	[43.7, 58.1]	202	61.4	[44.2, 83.4]	43
CLRD	36.2	[34.5, 38.0]	1716	34.2	[28.7, 40.6]	136	33.8	[21.3, 51.1]	23
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.6	[4.3, 9.7]	27	8.3	[3.1, 18.4]	7
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	5.0	[0.5, 3.4]	6	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	11.6	[8.2, 14.9]	50	7.8	[4.0, 15.7]	12
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.85	[4.2, 8.0]	41	5.09	[2.5, 10.3]	12
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	10.2	[5.6, 11.4]	34	11.0	[5.7, 20.5]	14
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	1.5	[0.8, 2.8]	12	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.7	[14.8, 23.5]	77	11.0	[4.4, 22.7]	7
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	6.9	[4.7, 10.1]	30	11.6	[5.2, 23.0]	9
Drug-induced deaths	9.7	[8.9, 10.6]	558	7.9	[5.6, 11.1]	37	7.0	[3.2, 15.1]	10

Health Planning Areas in the North Region (block group based):

	King County			North Region			Shoreline		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			143223			52833		
Age 0-17 (%)	21.8%			24.1%			21.7%		
Age 65+ (%)	10.5%			11.0%			14.8%		
White (%)	80.0%			86.7%			80.4%		
Black (%)	6.3%			2.3%			3.4%		
American Indian/Alaska Native (%)	1.0%			0.7%			1.0%		
Asian/PI (%)	12.7%			10.3%			15.3%		
Hispanic (%)	6.0%			4.4%			4.3%		
2000 Census Data									
Percent below poverty	8.4%			5.4%			6.9%		
Percent below 200% poverty	19.6%			13.9%			18.7%		
Percent Foreign Born	15.4%			13.0%			17.0%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		79.9	[79.5, 80.3]		79.2	[78.5, 79.9]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.0	[31.7, 32.4]		31.8	[31.2, 32.3]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	4.5	[2.8, 7.0]	20	5.2	[2.2, 10.1]	10
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.1	[5.4, 6.8]	267	7.3	[6.0, 8.7]	146
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.7	[0.5, 1.0]	31	1.1	[0.6, 1.7]	31
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	11.5	[10.5, 12.5]	503	14.1	[12.3, 16.1]	284
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	5.2	[3.9, 6.8]	51	4.3	[2.3, 7.1]	59
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	172.0	[159.4, 185.3]	699	181.9	[163.7, 201.9]	379
Cancer	177.9	[174.1, 181.7]	8559	174.9	[162.2, 188.5]	710	163.7	[145.7, 183.6]	308
Lung Cancer	49.1	[47.1, 51.2]	2319	45.6	[39.1, 52.8]	182	48.4	[38.8, 60.1]	88
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.8	[12.2, 20.3]	65	12.6	[8.1, 19.3]	25
Female Breast Cancer	23.8	[22.0, 25.7]	659	21.3	[15.7, 28.4]	49	16.8	[9.7, 28.4]	17
Stroke	59.7	[57.6, 61.9]	2910	61.4	[54.0, 69.6]	249	63.7	[53.4, 76.0]	137
Diabetes	21.6	[20.3, 23.0]	1040	17.8	[13.9, 22.5]	72	22.7	[16.3, 31.2]	42
Diabetes-Related	60.1	[57.9, 62.4]	2873	50.5	[43.7, 58.1]	202	57.9	[47.5, 70.2]	112
CLRD	36.2	[34.5, 38.0]	1716	34.2	[28.7, 40.6]	136	37.4	[29.4, 47.4]	76
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.6	[4.3, 9.7]	27	7.9	[4.3, 13.8]	14
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	5.0	[0.5, 3.4]	6	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	11.6	[8.2, 14.9]	50	14.8	[9.5, 22.3]	25
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.85	[4.2, 8.0]	41	7.36	[4.5, 11.7]	20
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	10.2	[5.6, 11.4]	34	12.4	[7.6, 19.7]	20
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	1.5	[0.8, 2.8]	12	0.4	[0.0, 2.9]	8
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.7	[14.8, 23.5]	77	14.9	[8.5, 24.4]	46
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	6.9	[4.7, 10.1]	30	8.9	[4.5, 16.3]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	7.9	[5.6, 11.1]	37	5.0	[2.1, 10.7]	18

Health Planning Areas in the East Region (block group based):

	King County			East Region			Bellevue		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			128452		
Age 0-17 (%)	21.8%			23.7%			20.6%		
Age 65+ (%)	10.5%			10.2%			12.7%		
White (%)	80.0%			85.6%			78.4%		
Black (%)	6.3%			1.8%			2.4%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.4%		
Asian/PI (%)	12.7%			12.2%			18.8%		
Hispanic (%)	6.0%			4.4%			5.5%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			5.3%		
Percent below 200% poverty	19.6%			10.9%			12.8%		
Percent Foreign Born	15.4%			16.0%			23.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		82.8	[82.4, 83.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		34.3	[33.9, 34.6]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	2.2	[1.1, 4.1]	10
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	5.9	[5.2, 6.7]	265
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	0.9	[0.6, 1.2]	39
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	10.2	[9.3, 11.2]	456
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	4.4	[3.0, 6.4]	29
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	138.1	[126.5, 150.6]	523
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	158.8	[146.6, 171.9]	626
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	38.4	[32.5, 45.1]	153
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	18.3	[14.3, 23.2]	71
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	23.7	[17.8, 31.4]	53
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	55.9	[48.6, 64.1]	210
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	12.7	[9.4, 16.9]	49
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	38.6	[32.6, 45.4]	147
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	24.1	[19.4, 29.6]	91
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	7.3	[4.9, 10.5]	30
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	10.6	[7.7, 14.5]	43
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	4.55	[3.1, 6.6]	30
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	4.1	[2.3, 6.8]	16
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14	0.8	[0.2, 1.9]	5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	15.2	[11.5, 19.8]	56
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	6.5	[4.3, 9.6]	27
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	4.5	[2.7, 7.2]	18

Health Planning Areas in the East Region (block group based):

	King County			East Region			Issaquah/Sammamish		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			72263		
Age 0-17 (%)	21.8%			23.7%			29.2%		
Age 65+ (%)	10.5%			10.2%			7.3%		
White (%)	80.0%			85.6%			89.3%		
Black (%)	6.3%			1.8%			1.1%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.4%		
Asian/PI (%)	12.7%			12.2%			9.1%		
Hispanic (%)	6.0%			4.4%			3.0%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			3.1%		
Percent below 200% poverty	19.6%			10.9%			7.8%		
Percent Foreign Born	15.4%			16.0%			10.7%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		81.2	[80.5, 81.8]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		32.7	[32.1, 33.3]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	1.9	[0.7, 4.0]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	5.1	[4.4, 6.0]	166
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	0.7	[0.4, 1.0]	22
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	9.6	[8.5, 10.7]	310
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	2.1	[1.0, 3.8]	10
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	145.1	[125.6, 166.9]	205
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	182.3	[160.7, 206.1]	279
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	41.6	[31.4, 54.1]	59
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	15.0	[9.4, 22.9]	24
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	28.5	[18.4, 42.9]	27
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	59.2	[46.9, 73.8]	82
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	13.8	[8.3, 21.8]	20
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	57.8	[45.5, 72.3]	79
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	28.1	[19.8, 38.8]	38
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	4.4	[1.7, 9.6]	7
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	10.1	[6.0, 16.5]	19
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	6.70	[4.1, 10.6]	22
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	5.4	[2.5, 10.6]	10
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	26.8	[18.8, 37.2]	37
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	2.4	[0.7, 6.7]	5
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	3.9	[1.6, 8.5]	8

Health Planning Areas in the East Region (block group based):

	King County			East Region			Kirkland		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			81071		
Age 0-17 (%)	21.8%			23.7%			21.5%		
Age 65+ (%)	10.5%			10.2%			8.8%		
White (%)	80.0%			85.6%			88.3%		
Black (%)	6.3%			1.8%			1.9%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.6%		
Asian/PI (%)	12.7%			12.2%			9.1%		
Hispanic (%)	6.0%			4.4%			4.6%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			4.9%		
Percent below 200% poverty	19.6%			10.9%			11.5%		
Percent Foreign Born	15.4%			16.0%			13.8%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		80.3	[79.7, 80.8]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		31.9	[31.4, 32.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	4.2	[2.3, 7.2]	13
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	5.6	[4.8, 6.5]	172
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	0.5	[0.3, 0.9]	16
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	9.0	[8.0, 10.1]	275
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	5.6	[3.6, 8.3]	24
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	156.2	[138.3, 175.7]	284
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	188.3	[168.9, 209.4]	357
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	50.1	[40.3, 61.7]	94
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	16.1	[10.9, 23.2]	31
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	29.7	[20.6, 41.9]	35
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	70.1	[58.2, 83.9]	122
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	16.6	[11.2, 23.7]	32
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	49.8	[39.9, 61.5]	90
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	28.7	[21.2, 38.1]	49
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	8.4	[5.0, 13.6]	19
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	2.0	[0.6, 5.2]	5
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	9.4	[5.9, 14.5]	23
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	4.64	[2.8, 7.5]	20
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	7.4	[4.3, 12.1]	18
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	24.8	[18.0, 33.5]	43
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	7.5	[4.4, 12.3]	18
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	3.9	[1.9, 7.7]	10

Health Planning Areas in the East Region (block group based):

	King County			East Region			Mercer Island/Point Cities		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			30858		
Age 0-17 (%)	21.8%			23.7%			24.9%		
Age 65+ (%)	10.5%			10.2%			18.3%		
White (%)	80.0%			85.6%			87.4%		
Black (%)	6.3%			1.8%			1.2%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.2%		
Asian/PI (%)	12.7%			12.2%			11.2%		
Hispanic (%)	6.0%			4.4%			1.9%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			2.7%		
Percent below 200% poverty	19.6%			10.9%			6.1%		
Percent Foreign Born	15.4%			16.0%			12.7%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		85.3	[84.5, 86.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		36.8	[36.2, 37.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	4.3	[2.9, 6.3]	27
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	NA		<5
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	8.0	[6.0, 10.6]	50
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	NA		<5
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	109.1	[92.3, 130.5]	150
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	139.4	[119.7, 163.7]	185
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	32.6	[23.6, 46.7]	44
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	11.0	[6.2, 22.0]	15
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	26.0	[15.3, 48.0]	18
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	41.5	[31.5, 56.6]	58
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	7.8	[3.9, 18.1]	11
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	22.4	[15.2, 35.1]	31
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	16.6	[10.5, 28.4]	23
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	NA		<5
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	NA		<5
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	NA		<5
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	NA		<5
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	8.7	[4.5, 19.1]	12
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	NA		<5
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	6.8	[1.8, 19.2]	5

Health Planning Areas in the East Region (block group based):

	King County			East Region			Redmond/Union Hill		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			62068		
Age 0-17 (%)	21.8%			23.7%			23.1%		
Age 65+ (%)	10.5%			10.2%			8.2%		
White (%)	80.0%			85.6%			85.4%		
Black (%)	6.3%			1.8%			1.8%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.5%		
Asian/PI (%)	12.7%			12.2%			12.3%		
Hispanic (%)	6.0%			4.4%			5.6%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			4.6%		
Percent below 200% poverty	19.6%			10.9%			11.2%		
Percent Foreign Born	15.4%			16.0%			18.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		83.5	[82.7, 84.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		34.8	[34.0, 35.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	3.4	[1.6, 6.4]	9
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	6.5	[5.6, 7.6]	173
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	1.2	[0.8, 1.7]	31
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	10.2	[9.0, 11.5]	270
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	6.1	[3.8, 9.2]	22
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	122.6	[105.3, 142.3]	197
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	154.6	[133.5, 178.3]	208
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	44.2	[33.0, 58.2]	55
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	18.1	[11.4, 27.6]	25
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	20.5	[11.3, 34.9]	16
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	63.6	[51.1, 78.6]	97
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	16.7	[10.4, 25.9]	23
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	38.0	[27.9, 50.7]	51
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	27.7	[19.4, 38.5]	40
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	3.9	[1.5, 9.0]	7
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	7.7	[4.3, 13.7]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	5.45	[3.2, 9.2]	17
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	4.0	[1.5, 9.4]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	14.2	[8.8, 22.3]	23
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	3.2	[1.1, 8.1]	6
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	3.4	[1.3, 8.1]	7

Health Planning Areas in the East Region (block group based):

	King County			East Region			Upper Snoqualmie Valley		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			407519			21092		
Age 0-17 (%)	21.8%			23.7%			27.7%		
Age 65+ (%)	10.5%			10.2%			7.4%		
White (%)	80.0%			85.6%			95.7%		
Black (%)	6.3%			1.8%			1.0%		
American Indian/Alaska Native (%)	1.0%			0.5%			1.1%		
Asian/PI (%)	12.7%			12.2%			2.2%		
Hispanic (%)	6.0%			4.4%			3.2%		
2000 Census Data									
Percent below poverty	8.4%			4.4%			4.4%		
Percent below 200% poverty	19.6%			10.9%			14.2%		
Percent Foreign Born	15.4%			16.0%			4.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		82.4	[82.1, 82.6]		79.0	[77.8, 80.3]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		33.9	[33.7, 34.1]		30.9	[29.8, 32.0]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	2.9	[2.1, 3.9]	46	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	5.7	[5.3, 6.1]	889	5.3	[4.0, 6.9]	56
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	0.8	[0.7, 1.0]	128	1.0	[0.5, 1.9]	11
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	9.7	[9.2, 10.2]	1518	9.9	[8.1, 12.0]	105
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	4.4	[3.6, 5.3]	106	5.1	[2.0, 10.4]	7
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	136.7	[129.7, 144.0]	1446	170.0	[132.6, 215.3]	74
Cancer	177.9	[174.1, 181.7]	8559	163.6	[156.0, 171.6]	1759	203.5	[162.5, 252.1]	91
Lung Cancer	49.1	[47.1, 51.2]	2319	41.1	[37.2, 45.2]	431	47.5	[28.2, 75.3]	19
Colorectal Cancer	16.1	[15.0, 17.3]	777	15.9	[13.6, 18.5]	172	18.3	[7.6, 37.6]	8
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.3	[21.4, 29.6]	158	27.7	[10.6, 60.5]	7
Stroke	59.7	[57.6, 61.9]	2910	57.6	[53.0, 62.4]	599	70.9	[47.6, 102.2]	30
Diabetes	21.6	[20.3, 23.0]	1040	14.3	[12.1, 16.8]	151	31.4	[16.5, 54.8]	13
Diabetes-Related	60.1	[57.9, 62.4]	2873	41.7	[37.9, 45.9]	432	70.1	[46.5, 101.8]	29
CLRD	36.2	[34.5, 38.0]	1716	26.1	[23.0, 29.4]	267	53.1	[33.1, 81.4]	22
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	6.0	[4.7, 7.6]	72	9.6	[3.5, 23.6]	6
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.3	[0.7, 2.1]	16	0.0		0
Suicide deaths	10.5	[9.7, 11.5]	579	9.3	[7.6, 11.2]	113	14.3	[5.4, 31.8]	7
Firearm-related deaths	7.4	[6.8, 8.0]	663	5.38	[4.4, 6.5]	107	15.30	[7.6, 28.0]	12
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	6.1	[4.8, 7.8]	71	13.2	[5.1, 29.4]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	0.6	[0.4, 1.1]	14			
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	17.3	[14.8, 20.0]	180	30.1	[15.9, 52.5]	13
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	5.4	[4.1, 6.9]	65	7.8	[2.5, 21.2]	5
Drug-induced deaths	9.7	[8.9, 10.6]	558	4.4	[3.3, 5.7]	56	NA		<5

Health Planning Areas in the South Region (block group based):

	King County			South Region			Auburn		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			58483		
Age 0-17 (%)	21.8%			26.0%			27.3%		
Age 65+ (%)	10.5%			9.2%			9.8%		
White (%)	80.0%			80.3%			89.7%		
Black (%)	6.3%			7.1%			3.0%		
American Indian/Alaska Native (%)	1.0%			1.3%			2.1%		
Asian/PI (%)	12.7%			11.3%			5.2%		
Hispanic (%)	6.0%			7.5%			7.7%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			11.0%		
Percent below 200% poverty	19.6%			21.7%			27.8%		
Percent Foreign Born	15.4%			14.4%			10.6%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		76.9	[76.1, 77.6]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		29.8	[29.2, 30.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	5.5	[3.0, 9.2]	14
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	5.6	[4.8, 6.6]	143
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.0	[0.7, 1.5]	26
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	14.2	[12.8, 15.8]	360
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	24.5	[19.8, 30.0]	94
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	217.6	[193.7, 243.8]	303
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	212.6	[189.4, 238.0]	308
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	70.6	[57.5, 85.9]	102
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	16.5	[10.4, 24.8]	23
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	30.9	[20.2, 45.6]	26
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	77.1	[63.1, 93.4]	106
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	35.6	[26.5, 47.0]	51
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	94.9	[79.4, 112.5]	134
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	58.6	[46.6, 72.9]	83
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	14.0	[8.6, 21.6]	21
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	3.6	[1.3, 8.3]	6
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	14.7	[9.5, 22.1]	25
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	7.40	[4.6, 11.5]	21
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	17.8	[12.0, 25.8]	30
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	20.8	[13.8, 30.1]	28
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	12.0	[7.2, 19.0]	19
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	9.5	[5.5, 15.6]	17

Health Planning Areas in the South Region (block group based):

	King County			South Region			Burien		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			35503		
Age 0-17 (%)	21.8%			26.0%			22.1%		
Age 65+ (%)	10.5%			9.2%			13.8%		
White (%)	80.0%			80.3%			83.4%		
Black (%)	6.3%			7.1%			5.7%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.3%		
Asian/PI (%)	12.7%			11.3%			9.5%		
Hispanic (%)	6.0%			7.5%			11.4%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			9.3%		
Percent below 200% poverty	19.6%			21.7%			23.5%		
Percent Foreign Born	15.4%			14.4%			15.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.1	[78.3, 80.0]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		31.9	[31.2, 32.6]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	3.5	[1.1, 7.9]	5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	5.2	[4.1, 6.5]	75
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	0.8	[0.4, 1.4]	11
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.2	[9.5, 13.1]	161
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	22.6	[16.6, 30.2]	46
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	182.6	[158.7, 209.3]	211
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	185.9	[162.1, 212.6]	220
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	57.2	[44.4, 72.9]	68
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	13.2	[7.4, 22.1]	15
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	30.3	[18.7, 47.8]	21
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	69.5	[55.1, 86.9]	80
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	17.5	[10.7, 27.4]	20
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	64.9	[51.1, 81.6]	76
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	47.8	[36.2, 62.4]	57
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	14.2	[8.2, 23.1]	17
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	6.7	[2.7, 14.1]	7
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	13.5	[7.5, 22.6]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	15.80	[10.5, 23.1]	28
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	8.9	[4.1, 17.2]	9
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	4.2	[1.8, 8.6]	8
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	11.1	[5.9, 19.5]	13
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	10.8	[5.7, 18.9]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	15.3	[9.1, 24.7]	18

Health Planning Areas in the South Region (block group based):

	King County			South Region			Cascade-Fairwood		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			40051		
Age 0-17 (%)	21.8%			26.0%			25.3%		
Age 65+ (%)	10.5%			9.2%			7.7%		
White (%)	80.0%			80.3%			76.3%		
Black (%)	6.3%			7.1%			6.9%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.8%		
Asian/PI (%)	12.7%			11.3%			16.1%		
Hispanic (%)	6.0%			7.5%			4.5%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			5.1%		
Percent below 200% poverty	19.6%			21.7%			14.8%		
Percent Foreign Born	15.4%			14.4%			13.5%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.1	[78.2, 80.0]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		31.5	[30.8, 32.2]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	8.6	[4.6, 14.7]	13
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	7.2	[5.9, 8.7]	108
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.1	[0.6, 1.7]	16
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.8	[10.1, 13.7]	177
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	7.5	[4.5, 11.6]	19
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	154.1	[124.6, 189.1]	107
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	197.8	[167.7, 232.8]	171
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	61.0	[45.3, 81.6]	55
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	16.2	[8.9, 28.9]	16
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	32.8	[17.8, 56.7]	15
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	72.5	[51.9, 98.8]	44
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	27.7	[16.3, 44.8]	19
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	70.4	[51.3, 95.0]	50
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	55.7	[39.2, 77.6]	39
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	6.3	[2.4, 15.8]	7
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	5.6	[2.2, 14.5]	7
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	11.1	[5.2, 22.5]	11
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	11.06	[6.4, 18.9]	19
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	5.9	[2.6, 14.8]	8
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	18.8	[9.3, 34.3]	12
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	7.1	[2.9, 16.8]	8
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	8.2	[3.9, 17.8]	10

Health Planning Areas in the South Region (block group based):

	King County			South Region			Covington/Maple Valley		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			39844		
Age 0-17 (%)	21.8%			26.0%			31.2%		
Age 65+ (%)	10.5%			9.2%			5.3%		
White (%)	80.0%			80.3%			94.0%		
Black (%)	6.3%			7.1%			2.0%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.9%		
Asian/PI (%)	12.7%			11.3%			3.2%		
Hispanic (%)	6.0%			7.5%			3.7%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			3.0%		
Percent below 200% poverty	19.6%			21.7%			9.9%		
Percent Foreign Born	15.4%			14.4%			4.9%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		77.7	[76.8, 78.7]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		30.0	[29.2, 30.8]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	6.0	[2.7, 11.3]	9
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	5.3	[4.2, 6.6]	80
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	0.7	[0.4, 1.3]	11
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.2	[9.6, 13.1]	169
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	4.6	[2.5, 7.8]	14
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	210.3	[168.2, 261.0]	106
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	253.2	[210.2, 304.0]	152
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	88.1	[63.0, 121.6]	48
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	28.4	[15.4, 50.5]	18
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	36.1	[17.7, 68.5]	12
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	88.5	[59.6, 127.2]	34
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	25.5	[13.5, 46.4]	16
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	89.2	[63.2, 123.9]	47
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	43.7	[25.3, 71.8]	20
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	8.6	[2.4, 24.9]	6
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	8.3	[3.9, 21.8]	10
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	11.8	[6.5, 25.6]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	7.06	[3.8, 15.7]	14
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	11.5	[5.5, 26.4]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	30.1	[14.6, 55.9]	11
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	5.9	[1.7, 19.9]	5
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	6.4	[2.7, 19.5]	8

Health Planning Areas in the South Region (block group based):

	King County			South Region			Delridge		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			32114		
Age 0-17 (%)	21.8%			26.0%			25.3%		
Age 65+ (%)	10.5%			9.2%			8.2%		
White (%)	80.0%			80.3%			60.8%		
Black (%)	6.3%			7.1%			14.2%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.9%		
Asian/PI (%)	12.7%			11.3%			23.0%		
Hispanic (%)	6.0%			7.5%			11.3%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			16.0%		
Percent below 200% poverty	19.6%			21.7%			34.0%		
Percent Foreign Born	15.4%			14.4%			24.6%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		78.3	[77.2, 79.3]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		30.8	[29.8, 31.7]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	4.5	[1.6, 9.6]	6
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.9	[5.5, 8.4]	91
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	0.8	[0.4, 1.4]	10
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	13.0	[11.2, 15.1]	173
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	19.2	[13.5, 26.6]	36
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	201.4	[169.1, 238.4]	140
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	205.4	[172.8, 242.6]	144
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	50.0	[34.6, 70.1]	35
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	20.1	[10.7, 34.7]	13
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	27.9	[13.8, 51.2]	11
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	53.6	[37.6, 74.3]	37
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	39.6	[25.7, 58.5]	26
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	108.8	[85.1, 137.4]	73
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	53.1	[37.0, 74.0]	36
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	8.6	[3.1, 19.4]	6
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	7.8	[3.5, 16.6]	9
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	6.1	[2.2, 14.7]	6
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	8.49	[4.7, 14.9]	15
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	7.1	[2.5, 16.6]	6
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	7.2	[3.7, 13.4]	12
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	19.5	[10.6, 33.4]	14
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	8.3	[3.0, 18.8]	6
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	16.7	[9.2, 28.7]	15

Health Planning Areas in the South Region (block group based):

	King County			South Region			Des Moines/Normandy Pk		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			35941		
Age 0-17 (%)	21.8%			26.0%			23.2%		
Age 65+ (%)	10.5%			9.2%			15.6%		
White (%)	80.0%			80.3%			82.0%		
Black (%)	6.3%			7.1%			7.1%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.9%		
Asian/PI (%)	12.7%			11.3%			10.0%		
Hispanic (%)	6.0%			7.5%			6.6%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			7.2%		
Percent below 200% poverty	19.6%			21.7%			18.7%		
Percent Foreign Born	15.4%			14.4%			12.0%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.7	[78.8, 80.5]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		31.8	[31.2, 32.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	5.5	[4.3, 7.0]	65
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	0.5	[0.2, 1.1]	6
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.9	[10.0, 14.0]	141
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	14.4	[9.8, 20.5]	31
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	178.7	[157.4, 202.4]	275
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	178.6	[156.0, 203.8]	238
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	45.4	[34.3, 59.5]	58
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	14.3	[8.4, 23.2]	18
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	26.1	[15.3, 42.4]	19
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	72.9	[60.1, 88.0]	122
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	24.0	[16.6, 34.1]	36
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	77.5	[63.5, 94.0]	115
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	34.0	[24.8, 45.9]	48
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	10.0	[5.1, 18.0]	12
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	6.7	[2.7, 14.1]	7
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	10.7	[5.4, 19.0]	12
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	7.81	[4.2, 13.3]	14
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	6.9	[2.7, 14.3]	7
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	3.4	[1.3, 7.6]	6
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	20.9	[14.3, 30.1]	35
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	11.2	[5.9, 19.6]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	11.0	[5.7, 19.6]	12

Health Planning Areas in the South Region (block group based):

	King County			South Region			Federal Way		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			115886		
Age 0-17 (%)	21.8%			26.0%			27.5%		
Age 65+ (%)	10.5%			9.2%			7.9%		
White (%)	80.0%			80.3%			78.1%		
Black (%)	6.3%			7.1%			7.8%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.0%		
Asian/PI (%)	12.7%			11.3%			13.1%		
Hispanic (%)	6.0%			7.5%			7.1%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			8.2%		
Percent below 200% poverty	19.6%			21.7%			21.1%		
Percent Foreign Born	15.4%			14.4%			15.5%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		78.0	[77.5, 78.5]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		30.3	[29.9, 30.7]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	6.4	[4.3, 9.2]	29
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.3	[5.6, 7.1]	283
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.3	[1.0, 1.7]	58
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.7	[10.7, 12.7]	525
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	11.8	[9.5, 14.5]	89
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	239.8	[218.8, 262.4]	506
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	190.7	[173.2, 209.7]	463
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	58.1	[48.6, 69.0]	142
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	17.3	[12.3, 23.9]	41
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	21.1	[14.0, 30.7]	29
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	73.0	[61.5, 86.2]	148
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	23.8	[17.9, 31.3]	59
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	88.1	[75.9, 101.9]	198
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	47.7	[38.6, 58.4]	99
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	9.0	[5.7, 13.9]	25
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	3.5	[1.9, 6.7]	13
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	12.0	[8.3, 17.0]	38
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	8.75	[6.4, 12.0]	47
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	8.5	[5.5, 13.0]	27
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	1.7	[0.8, 3.5]	10
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	23.9	[17.5, 32.0]	48
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	7.6	[4.8, 11.9]	24
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	5.5	[3.3, 9.0]	20

Health Planning Areas in the South Region (block group based):

	King County			South Region			Kent		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			114432		
Age 0-17 (%)	21.8%			26.0%			27.5%		
Age 65+ (%)	10.5%			9.2%			7.5%		
White (%)	80.0%			80.3%			77.9%		
Black (%)	6.3%			7.1%			8.2%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.0%		
Asian/PI (%)	12.7%			11.3%			12.9%		
Hispanic (%)	6.0%			7.5%			7.5%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			9.5%		
Percent below 200% poverty	19.6%			21.7%			22.8%		
Percent Foreign Born	15.4%			14.4%			16.1%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.6	[79.1, 80.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		32.0	[31.5, 32.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	6.7	[4.6, 9.4]	34
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.3	[5.6, 7.0]	317
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.0	[0.7, 1.3]	50
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	13.5	[12.5, 14.5]	677
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	14.9	[12.2, 18.1]	104
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	164.9	[147.4, 183.9]	341
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	176.8	[159.5, 195.5]	411
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	49.3	[40.5, 59.6]	116
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	14.0	[9.4, 20.3]	31
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	35.1	[25.8, 46.9]	49
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	59.5	[49.0, 71.6]	118
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	21.4	[15.6, 28.7]	48
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	77.1	[65.4, 90.4]	163
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	52.9	[43.2, 64.3]	106
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	8.4	[5.2, 13.1]	23
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	4.9	[2.9, 8.4]	18
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	12.9	[9.2, 18.0]	42
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	10.09	[7.6, 13.5]	55
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	10.2	[7.1, 14.8]	35
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	2.4	[1.3, 4.5]	14
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	16.9	[11.5, 24.0]	33
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	7.6	[4.7, 12.1]	22
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	8.8	[5.8, 13.2]	29

Health Planning Areas in the South Region (block group based):

	King County			South Region			Renton		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			79534		
Age 0-17 (%)	21.8%			26.0%			22.3%		
Age 65+ (%)	10.5%			9.2%			10.5%		
White (%)	80.0%			80.3%			73.8%		
Black (%)	6.3%			7.1%			11.3%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.9%		
Asian/PI (%)	12.7%			11.3%			14.1%		
Hispanic (%)	6.0%			7.5%			6.9%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			8.5%		
Percent below 200% poverty	19.6%			21.7%			20.9%		
Percent Foreign Born	15.4%			14.4%			16.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.7	[79.1, 80.3]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		31.9	[31.4, 32.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	4.6	[2.6, 7.4]	16
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.5	[5.7, 7.4]	226
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	0.9	[0.6, 1.3]	32
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	12.9	[11.7, 14.1]	450
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	13.9	[10.6, 18.0]	57
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	180.3	[162.5, 199.5]	378
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	190.3	[172.2, 209.9]	411
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	55.0	[45.5, 66.0]	118
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	23.1	[17.0, 30.7]	48
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	18.9	[12.1, 28.5]	24
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	57.0	[47.2, 68.3]	119
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	23.8	[17.6, 31.6]	50
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	59.8	[49.7, 71.5]	124
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	44.9	[36.2, 55.2]	92
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	7.6	[4.5, 12.2]	18
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	3.8	[1.8, 7.4]	10
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	9.8	[6.2, 14.9]	23
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	7.91	[5.4, 11.3]	32
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	6.5	[3.7, 10.8]	16
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	1.2	[0.4, 2.9]	5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	16.4	[11.4, 22.9]	35
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	7.8	[4.6, 12.3]	19
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	8.6	[5.4, 13.3]	22

Health Planning Areas in the South Region (block group based):

	King County			South Region			SE County		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			44773		
Age 0-17 (%)	21.8%			26.0%			27.7%		
Age 65+ (%)	10.5%			9.2%			9.3%		
White (%)	80.0%			80.3%			94.8%		
Black (%)	6.3%			7.1%			0.7%		
American Indian/Alaska Native (%)	1.0%			1.3%			2.8%		
Asian/PI (%)	12.7%			11.3%			1.7%		
Hispanic (%)	6.0%			7.5%			3.4%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			5.1%		
Percent below 200% poverty	19.6%			21.7%			15.2%		
Percent Foreign Born	15.4%			14.4%			3.7%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		79.4	[78.5, 80.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		31.5	[30.8, 32.2]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	4.6	[1.7, 9.8]	8
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	4.8	[3.7, 6.2]	111
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.0	[0.5, 1.7]	16
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.5	[9.8, 13.5]	215
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	10.8	[7.6, 14.9]	14
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	219.4	[192.1, 249.6]	238
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	196.1	[170.4, 224.6]	218
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	63.8	[49.4, 81.3]	68
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	18.7	[11.3, 29.2]	20
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	14.7	[6.9, 28.5]	10
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	65.8	[51.1, 83.5]	69
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	31.2	[21.5, 43.8]	35
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	89.7	[72.4, 110.0]	96
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	35.0	[24.4, 48.7]	36
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	8.1	[4.1, 14.8]	12
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	8.7	[4.4, 15.9]	12
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	7.28	[4.1, 12.2]	16
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	13.3	[7.8, 21.6]	18
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	16.4	[10.4, 24.8]	16
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	9.2	[4.9, 16.0]	12
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	9.9	[5.4, 16.8]	8

Health Planning Areas in the South Region (block group based):

	King County			South Region			Tukwila/SeaTac		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			43519		
Age 0-17 (%)	21.8%			26.0%			23.8%		
Age 65+ (%)	10.5%			9.2%			8.8%		
White (%)	80.0%			80.3%			71.0%		
Black (%)	6.3%			7.1%			12.3%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.5%		
Asian/PI (%)	12.7%			11.3%			15.2%		
Hispanic (%)	6.0%			7.5%			14.3%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			11.9%		
Percent below 200% poverty	19.6%			21.7%			28.8%		
Percent Foreign Born	15.4%			14.4%			24.4%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		78.1	[77.2, 78.9]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		30.7	[29.9, 31.4]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	8.4	[5.0, 13.3]	18
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.0	[5.0, 7.2]	127
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.1	[0.7, 1.7]	24
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	12.2	[10.7, 13.7]	255
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	26.5	[20.5, 33.6]	67
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	180.6	[153.4, 211.5]	164
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	199.9	[172.1, 231.2]	193
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	72.0	[55.8, 92.0]	69
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	10.1	[4.6, 19.9]	9
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	20.6	[10.6, 36.9]	12
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	63.4	[47.4, 83.3]	54
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	37.8	[26.6, 52.8]	38
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	77.1	[60.2, 97.6]	74
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	47.6	[34.5, 64.4]	45
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	11.1	[5.9, 20.1]	13
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	6.1	[2.8, 13.1]	9
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	6.4	[2.6, 14.4]	7
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	10.63	[6.7, 16.7]	23
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	11.5	[6.2, 20.4]	14
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	2.7	[1.0, 6.8]	6
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	16.6	[9.3, 27.8]	16
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	11.1	[5.9, 20.1]	13
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	10.9	[5.7, 19.7]	13

Health Planning Areas in the South Region (block group based):

	King County			South Region			Vashon Island		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			10383		
Age 0-17 (%)	21.8%			26.0%			22.1%		
Age 65+ (%)	10.5%			9.2%			13.1%		
White (%)	80.0%			80.3%			96.0%		
Black (%)	6.3%			7.1%			1.0%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.8%		
Asian/PI (%)	12.7%			11.3%			2.2%		
Hispanic (%)	6.0%			7.5%			2.8%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			6.0%		
Percent below 200% poverty	19.6%			21.7%			16.8%		
Percent Foreign Born	15.4%			14.4%			4.6%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		80.2	[78.6, 81.9]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		32.7	[31.6, 33.8]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	NA		<5
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	5.9	[3.1, 10.0]	13
Very Low Birth Weight (% <1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	NA		<5
Preterm Delivery (% <37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	11.2	[7.3, 16.6]	25
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	NA		<5
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	193.7	[147.3, 253.6]	60
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	201.6	[155.9, 260.4]	68
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	58.0	[34.7, 95.8]	19
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	NA		<5
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	27.8	[8.9, 78.7]	5
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	62.6	[37.4, 102.5]	19
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	22.1	[8.8, 51.5]	7
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	64.8	[39.9, 104.1]	21
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	48.6	[27.1, 85.2]	15
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	NA		<5
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	NA		<5
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	NA		<5
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	NA		<5
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	29.4	[10.5, 66.6]	6
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	NA		<5
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	NA		<5
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	NA		<5
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	NA		<5

Health Planning Areas in the South Region (block group based):

	King County			South Region			White Center/Boulevard Pk		
DEMOGRAPHICS									
Population 2003 Estimates									
Total Population	1779300			649166			30817		
Age 0-17 (%)	21.8%			26.0%			26.1%		
Age 65+ (%)	10.5%			9.2%			9.3%		
White (%)	80.0%			80.3%			66.1%		
Black (%)	6.3%			7.1%			9.1%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.9%		
Asian/PI (%)	12.7%			11.3%			22.9%		
Hispanic (%)	6.0%			7.5%			14.5%		
2000 Census Data									
Percent below poverty	8.4%			8.5%			14.2%		
Percent below 200% poverty	19.6%			21.7%			35.6%		
Percent Foreign Born	15.4%			14.4%			26.2%		
HEALTH INDICATORS (3-Year Averages, 2001-2003)									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
OVERALL HEALTH									
Life Expectancy at Birth (years)	80.1	[80.0, 80.2]		80.3	[78.6, 79.0]		77.1	[76.1, 78.2]	
Life Expectancy at Age 50 (years)	32.3	[32.2, 32.4]		32.6	[31.1, 31.4]		30.6	[29.7, 31.5]	
MATERNAL AND INFANT HEALTH									
Infant Mortality (deaths/1000 live births)	4.9	[4.4, 5.4]	322	6.2	[5.3, 7.2]	163	9.6	[5.3, 16.1]	14
Low Birth Weight (% < 2500 g)	6.1	[5.9, 6.2]	3966	6.0	[5.7, 6.3]	1586	6.0	[4.8, 7.4]	86
Very Low Birth Weight (% < 1500 g)	1.0	[0.9, 1.0]	630	1.0	[0.9, 1.1]	264	1.1	[0.6, 1.8]	16
Preterm Delivery (% < 37 weeks)	11.7	[11.4, 11.9]	7644	12.5	[12.1, 12.9]	3279	13.1	[11.3, 15.1]	188
Teen Birth (per 1000 females 15-17)	10.7	[10.0, 11.3]	1017	14.8	[13.6, 16.0]	605	22.4	[16.3, 30.0]	45
CHRONIC DISEASE DEATH (age-adjusted death rate per 100,000)									
Heart Disease	169.4	[165.7, 173.1]	8248	193.1	[186.0, 200.5]	2842	213.6	[180.7, 250.9]	153
Cancer	177.9	[174.1, 181.7]	8559	191.7	[184.8, 198.8]	2986	181.6	[151.7, 215.8]	133
Lung Cancer	49.1	[47.1, 51.2]	2319	58.8	[55.0, 62.8]	910	64.5	[47.3, 86.3]	47
Colorectal Cancer	16.1	[15.0, 17.3]	777	16.7	[14.7, 18.9]	256	20.0	[10.9, 33.9]	14
Female Breast Cancer	23.8	[22.0, 25.7]	659	25.2	[22.0, 28.7]	229	16.6	[6.7, 34.9]	7
Stroke	59.7	[57.6, 61.9]	2910	67.5	[63.3, 72.0]	964	75.4	[56.0, 99.4]	51
Diabetes	21.6	[20.3, 23.0]	1040	26.1	[23.5, 28.8]	400	29.4	[18.1, 45.4]	21
Diabetes-Related	60.1	[57.9, 62.4]	2873	77.2	[72.7, 81.8]	1153	76.3	[57.3, 99.8]	55
CLRD	36.2	[34.5, 38.0]	1716	46.6	[43.1, 50.2]	679	54.4	[38.6, 74.9]	39
Chronic Liver Disease-Cirrhosis	8.4	[7.7, 9.3]	437	9.2	[7.8, 10.8]	164	10.9	[4.9, 21.6]	9
INJURY/VIOLENCE DEATH (age-adjusted death rate per 100,000)									
Homicide deaths	3.8	[3.3, 4.3]	212	1.5	[4.0, 6.1]	98	8.6	[3.7, 18.0]	8
Suicide deaths	10.5	[9.7, 11.5]	579	11.1	[10.1, 13.3]	219	16.5	[9.1, 28.2]	15
Firearm-related deaths	7.4	[6.8, 8.0]	663	9.25	[8.2, 10.4]	289	11.75	[6.9, 19.2]	18
Motor Vehicle Accident deaths	7.9	[7.2, 8.7]	425	8.1	[8.8, 11.8]	194	13.6	[7.0, 24.7]	12
COMMUNICABLE DISEASE (age-adjusted death rate per 100,000)									
HIV/AIDS deaths	3.4	[3.1, 3.8]	328	2.0	[1.5, 2.5]	67	4.6	[1.8, 10.1]	7
Influenza/pneumonia deaths	17.3	[16.2, 18.6]	854	18.5	[16.4, 20.9]	267	25.1	[14.8, 40.2]	18
MENTAL HEALTH (age-adjusted death rate per 100,000)									
Alcohol-induced deaths	8.7	[8.0, 9.6]	462	8.7	[7.4, 10.2]	161	15.0	[7.7, 26.9]	12
Drug-induced deaths	9.7	[8.9, 10.6]	558	8.9	[7.7, 10.4]	180	21.4	[13.0, 34.0]	20

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Ball-Fremt-Greenlk		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			91330		
Age 0-17 (%)	21.8%			15.1%			13.4%		
Age 65+ (%)	10.5%			11.8%			10.9%		
White (%)	80.0%			73.8%			90.0%		
Black (%)	6.3%			9.7%			2.6%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.1%		
Asian/PI (%)	12.7%			15.4%			6.3%		
Hispanic (%)	6.0%			5.9%			4.5%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		7.4	[5.6,9.8]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		14.7	[11.6,18.4]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		44.3	[39.7,48.9]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		12.6	[9.7,16.2]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		7.8	[5.9,10.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		12.8	[9.7,16.6]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		10.4	[7.6,14.0]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	151.7	[114.7, 196.9]	56
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	38.0	[30.6, 46.7]	90
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	52.4	[44.0, 62.4]	156
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	20.4	[15.4, 27.1]	59
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	35.7	[28.9, 44.2]	105

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Beacon & SE Seattle		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			66775		
Age 0-17 (%)	21.8%			15.1%			24.2%		
Age 65+ (%)	10.5%			11.8%			12.1%		
White (%)	80.0%			73.8%			33.5%		
Black (%)	6.3%			9.7%			24.3%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.3%		
Asian/PI (%)	12.7%			15.4%			40.9%		
Hispanic (%)	6.0%			5.9%			9.7%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		18.8	[13.7,25.3]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		21.3	[14.8,29.7]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		56.4	[48.2,64.3]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		19.1	[13.9,25.6]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		21.0	[15.7,27.5]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		11.2	[7.2,16.9]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		9.8	[6.7,14.3]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	383.9	[331.0, 443.1]	187
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	111.5	[95.4, 129.7]	169
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	98.6	[85.3, 113.4]	199
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	70.0	[58.9, 82.5]	143
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	43.8	[35.2, 54.1]	89

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Capitol Hill/Eastlake		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			41076		
Age 0-17 (%)	21.8%			15.1%			10.0%		
Age 65+ (%)	10.5%			11.8%			9.7%		
White (%)	80.0%			73.8%			86.4%		
Black (%)	6.3%			9.7%			7.0%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.6%		
Asian/PI (%)	12.7%			15.4%			5.9%		
Hispanic (%)	6.0%			5.9%			3.7%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		7.1	[4.6,10.7]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		17.2	[12.8,22.8]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		37.2	[30.8,44.1]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		7.0	[4.6,10.5]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		5.4	[3.3,8.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		11.9	[7.7,18.0]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		9.4	[6.1,14.3]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	218.8	[144.4, 318.3]	27
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	41.5	[30.4, 55.4]	46
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	48.3	[36.5, 64.8]	62
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	24.3	[15.9, 37.7]	33
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	46.7	[34.7, 63.4]	61

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Downtown & Central		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			86756		
Age 0-17 (%)	21.8%			15.1%			12.3%		
Age 65+ (%)	10.5%			11.8%			12.6%		
White (%)	80.0%			73.8%			57.3%		
Black (%)	6.3%			9.7%			22.1%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.7%		
Asian/PI (%)	12.7%			15.4%			18.9%		
Hispanic (%)	6.0%			5.9%			8.0%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		16.6	[12.1,22.3]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		24.3	[19.2,30.3]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		45.7	[40.0,51.6]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		16.3	[12.3,21.3]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		10.8	[7.5,15.1]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		16.8	[12.3,22.4]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		12.4	[9.2,16.5]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	348.6	[287.1, 419.4]	112
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	120.8	[106.9, 135.9]	275
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	128.6	[114.7, 144.2]	348
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	174.5	[159.5, 191.1]	515
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	99.6	[88.5, 112.4]	303

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			North Seattle/Shoreline		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			133400		
Age 0-17 (%)	21.8%			15.1%			18.7%		
Age 65+ (%)	10.5%			11.8%			15.1%		
White (%)	80.0%			73.8%			79.8%		
Black (%)	6.3%			9.7%			4.5%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.0%		
Asian/PI (%)	12.7%			15.4%			14.7%		
Hispanic (%)	6.0%			5.9%			5.0%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		12.1	[9.5,15.2]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		20.0	[16.4,24.1]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		52.8	[48.6,57.0]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		17.7	[14.9,21.0]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		15.1	[12.5,18.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		13.2	[10.1,17.0]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		8.5	[6.3,11.4]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	182.0	[152.8, 215.1]	137
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	60.1	[52.0, 69.2]	195
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	62.2	[54.9, 70.4]	267
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	21.5	[17.3, 26.7]	89
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	49.7	[43.1, 57.1]	208

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Northeast Seattle		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			84744		
Age 0-17 (%)	21.8%			15.1%			13.2%		
Age 65+ (%)	10.5%			11.8%			10.2%		
White (%)	80.0%			73.8%			84.2%		
Black (%)	6.3%			9.7%			2.5%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.7%		
Asian/PI (%)	12.7%			15.4%			12.6%		
Hispanic (%)	6.0%			5.9%			3.6%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		8.8	[6.0,12.6]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		9.8	[6.7,14.0]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		40.2	[34.6,46.0]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		10.3	[7.5,14.0]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		7.8	[5.4,11.0]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		7.9	[5.1,12.1]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		9.6	[6.3,14.3]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	243.0	[193.4, 301.5]	82
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	16.8	[11.9, 23.2]	37
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	43.4	[35.4, 53.1]	114
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	11.3	[7.5, 16.9]	36
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	27.5	[21.3, 35.6]	78

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			Queen Anne/Magnolia		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			55771		
Age 0-17 (%)	21.8%			15.1%			11.1%		
Age 65+ (%)	10.5%			11.8%			12.3%		
White (%)	80.0%			73.8%			90.1%		
Black (%)	6.3%			9.7%			2.7%		
American Indian/Alaska Native (%)	1.0%			1.1%			0.7%		
Asian/PI (%)	12.7%			15.4%			6.4%		
Hispanic (%)	6.0%			5.9%			3.7%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		7.6	[5.2,11.0]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		15.1	[11.4,19.6]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		45.0	[39.2,51.0]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		9.3	[6.4,13.2]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		9.3	[6.5,13.1]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		13.2	[9.1,18.8]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		11.1	[7.5,16.0]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	204.5	[144.9, 280.8]	38
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	37.7	[28.5, 48.9]	56
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	53.5	[42.3, 68.0]	92
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	15.6	[10.4, 24.1]	30
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	33.9	[25.4, 45.5]	61

Health Planning Areas in Seattle (ZIP code based):

	King County			Seattle			West Seattle/Delridge		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			541187			78717		
Age 0-17 (%)	21.8%			15.1%			19.8%		
Age 65+ (%)	10.5%			11.8%			12.6%		
White (%)	80.0%			73.8%			77.1%		
Black (%)	6.3%			9.7%			7.7%		
American Indian/Alaska Native (%)	1.0%			1.1%			1.4%		
Asian/PI (%)	12.7%			15.4%			13.7%		
Hispanic (%)	6.0%			5.9%			7.1%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.5	[10.0,12.5]		13.2	[10.0,17.2]	
Current Smoker	17.4	[16.5,18.3]		16.9	[15.2,18.6]		19.6	[15.4,24.6]	
Overweight	52.3	[51.1,53.5]		45.4	[43.3,47.5]		48.4	[42.8,54.0]	
Obese	16.5	[15.6,17.4]		13.1	[11.8,14.6]		15.9	[12.0,20.8]	
No physical activity	13.8	[13.1,14.7]		10.7	[9.5,12.1]		15.0	[11.3,19.7]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		12.8	[11.3,14.5]		13.2	[9.8,17.7]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		10.6	[9.2,12.1]		11.5	[8.3,15.7]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	274.5	[254.2, 296.0]	677	290.4	[243.8, 343.5]	136
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	63.7	[59.6, 68.1]	876	75.1	[63.3, 88.5]	142
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	66.7	[62.8, 70.9]	1148	71.2	[60.6, 83.3]	169
Assault†	30.3	[28.9, 31.8]	1706	50.1	[46.8, 53.6]	906	37.2	[29.6, 46.4]	86
Suicide†	43.3	[41.6, 45.1]	2443	46.4	[43.3, 49.8]	842	37.7	[30.2, 46.6]	92

Health Planning Areas in the North Region (ZIP code based):

	King County			North Region			Bothell/Woodinville		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			165135			82108		
Age 0-17 (%)	21.8%			22.0%			26.6%		
Age 65+ (%)	10.5%			12.4%			7.7%		
White (%)	80.0%			85.3%			91.5%		
Black (%)	6.3%			2.9%			1.4%		
American Indian/Alaska Native (%)	1.0%			0.8%			0.5%		
Asian/PI (%)	12.7%			11.0%			6.6%		
Hispanic (%)	6.0%			4.6%			4.5%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.8	[9.3,11.8]		8.7	[6.3,11.8]	
Current Smoker	17.4	[16.5,18.3]		15.6	[13.3,18.4]		11.5	[8.7,15.0]	
Overweight	52.3	[51.1,53.5]		51.7	[48.0,55.3]		51.5	[46.0,56.9]	
Obese	16.5	[15.6,17.4]		16.4	[14.0,19.2]		13.8	[10.7,17.5]	
No physical activity	13.8	[13.1,14.7]		13.2	[11.2,15.5]		10.9	[8.3,14.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		10.7	[8.4,13.6]		9.1	[6.1,13.2]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		8.9	[7.0,11.2]		7.9	[5.6,11.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	150.7	[129.1, 175.0]	172	121.8	[96.6, 151.5]	80
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	46.6	[40.1, 53.9]	184	34.4	[26.4, 44.1]	62
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	64.7	[57.9, 72.1]	337	56.8	[47.3, 67.9]	135
Assault†	30.3	[28.9, 31.8]	1706	15.7	[12.4, 19.7]	78	10.7	[6.9, 16.3]	25
Suicide†	43.3	[41.6, 45.1]	2443	43.4	[37.9, 49.5]	226	35.5	[28.4, 44.3]	88

Health Planning Areas in the North Region (ZIP code based):

	King County			North Region			Cascade & Covington		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			165135			61590		
Age 0-17 (%)	21.8%			22.0%			28.2%		
Age 65+ (%)	10.5%			12.4%			6.5%		
White (%)	80.0%			85.3%			85.4%		
Black (%)	6.3%			2.9%			4.2%		
American Indian/Alaska Native (%)	1.0%			0.8%			0.8%		
Asian/PI (%)	12.7%			11.0%			9.7%		
Hispanic (%)	6.0%			4.6%			3.7%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		10.8	[9.3,11.8]		9.6	[6.4,14.2]	
Current Smoker	17.4	[16.5,18.3]		15.6	[13.3,18.4]		15.2	[10.9,20.7]	
Overweight	52.3	[51.1,53.5]		51.7	[48.0,55.3]		62.6	[55.4,69.2]	
Obese	16.5	[15.6,17.4]		16.4	[14.0,19.2]		22.2	[16.8,28.7]	
No physical activity	13.8	[13.1,14.7]		13.2	[11.2,15.5]		11.7	[8.0,16.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		10.7	[8.4,13.6]		6.3	[3.6,10.7]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		8.9	[7.0,11.2]		6.2	[3.8,10.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	150.7	[129.1, 175.0]	172	109.5	[83.0, 141.8]	57
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	46.6	[40.1, 53.9]	184	31.0	[22.3, 42.1]	41
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	64.7	[57.9, 72.1]	337	73.3	[59.5, 91.1]	123
Assault†	30.3	[28.9, 31.8]	1706	15.7	[12.4, 19.7]	78	22.9	[15.9, 34.2]	38
Suicide†	43.3	[41.6, 45.1]	2443	43.4	[37.9, 49.5]	226	41.2	[32.3, 54.0]	76

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Bellevue		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			124260		
Age 0-17 (%)	21.8%			24.1%			20.6%		
Age 65+ (%)	10.5%			10.1%			13.5%		
White (%)	80.0%			86.0%			79.1%		
Black (%)	6.3%			1.7%			2.4%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.4%		
Asian/PI (%)	12.7%			11.8%			18.2%		
Hispanic (%)	6.0%			4.4%			5.5%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		10.2	[7.7,13.3]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		12.1	[9.5,15.3]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		47.1	[42.6,51.7]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		11.0	[8.7,13.9]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		10.3	[8.0,13.1]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		7.9	[5.7,10.9]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		8.4	[5.9,11.9]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	137.3	[112.5, 166.0]	106
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	36.2	[29.7, 43.8]	107
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	38.0	[31.9, 44.9]	142
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	8.9	[6.1, 12.7]	33
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	30.1	[24.7, 36.5]	111

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Issaquah/Sammamish		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			73239		
Age 0-17 (%)	21.8%			24.1%			29.2%		
Age 65+ (%)	10.5%			10.1%			7.3%		
White (%)	80.0%			86.0%			89.3%		
Black (%)	6.3%			1.7%			1.1%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.4%		
Asian/PI (%)	12.7%			11.8%			9.1%		
Hispanic (%)	6.0%			4.4%			3.1%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		4.4	[2.7,6.9]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		7.9	[5.4,11.6]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		49.3	[43.4,55.2]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		16.0	[12.0,21.0]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		10.4	[7.5,14.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		4.7	[2.8,7.9]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		3.7	[2.3,5.9]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	122.8	[97.3, 153.0]	79
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	27.7	[20.1, 37.4]	43
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	38.7	[30.0, 49.6]	73
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	4.7	[2.2, 9.5]	10
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	28.9	[21.8, 38.1]	58

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Kirkland		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			71693		
Age 0-17 (%)	21.8%			24.1%			20.7%		
Age 65+ (%)	10.5%			10.1%			9.0%		
White (%)	80.0%			86.0%			87.8%		
Black (%)	6.3%			1.7%			2.0%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.6%		
Asian/PI (%)	12.7%			11.8%			9.5%		
Hispanic (%)	6.0%			4.4%			4.8%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		6.2	[4.0,9.4]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		16.3	[12.3,21.2]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		57.5	[51.7,63.1]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		15.2	[11.6,19.8]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		13.3	[9.7,17.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		7.3	[4.8,11.0]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		7.5	[5.0,11.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	120.5	[90.6, 157.0]	54
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	47.0	[37.3, 58.5]	80
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	53.5	[44.0, 64.7]	115
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	6.8	[3.8, 11.5]	16
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	36.5	[29.0, 45.7]	83

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Lower Valley & Upper Sno		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			38425		
Age 0-17 (%)	21.8%			24.1%			28.5%		
Age 65+ (%)	10.5%			10.1%			6.4%		
White (%)	80.0%			86.0%			96.0%		
Black (%)	6.3%			1.7%			0.8%		
American Indian/Alaska Native (%)	1.0%			0.5%			1.0%		
Asian/PI (%)	12.7%			11.8%			2.2%		
Hispanic (%)	6.0%			4.4%			3.4%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		7.0	[4.0,11.9]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		17.8	[12.6,24.6]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		57.3	[49.7,64.5]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		15.8	[11.0,22.2]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		12.9	[8.4,19.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		13.7	[8.7,21.0]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		7.7	[4.8,12.0]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	109.2	[76.6, 151.2]	36
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	52.1	[37.7, 70.2]	43
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	93.8	[75.5, 116.2]	99
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	6.2	[2.3, 15.2]	6
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	36.1	[25.5, 50.8]	41

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Mercer Island/Point Cities		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			25483		
Age 0-17 (%)	21.8%			24.1%			25.0%		
Age 65+ (%)	10.5%			10.1%			18.3%		
White (%)	80.0%			86.0%			86.3%		
Black (%)	6.3%			1.7%			1.3%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.2%		
Asian/PI (%)	12.7%			11.8%			12.1%		
Hispanic (%)	6.0%			4.4%			1.9%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		11.0	[5.8,19.7]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		5.1	[2.6,9.7]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		55.6	[45.9,64.9]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		9.3	[4.5,18.1]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		9.3	[5.3,15.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		5.3	[1.9,13.8]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		2.8	[0.6,12.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	67.9	[36.2, 115.8]	13
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	29.8	[17.4, 47.6]	17
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	26.3	[15.7, 44.0]	22
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	NA		<5
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	25.9	[14.1, 45.5]	16

Health Planning Areas in the East Region (ZIP code based):

	King County			East Region			Redmond/Union Hill		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			410398			62944		
Age 0-17 (%)	21.8%			24.1%			23.7%		
Age 65+ (%)	10.5%			10.1%			8.2%		
White (%)	80.0%			86.0%			85.5%		
Black (%)	6.3%			1.7%			1.7%		
American Indian/Alaska Native (%)	1.0%			0.5%			0.5%		
Asian/PI (%)	12.7%			11.8%			12.2%		
Hispanic (%)	6.0%			4.4%			5.4%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		8.0	[9.5,10.9]		8.1	[5.4,11.9]	
Current Smoker	17.4	[16.5,18.3]		12.2	[10.6,14.0]		10.7	[7.4,15.3]	
Overweight	52.3	[51.1,53.5]		52.2	[49.7,54.7]		55.5	[49.2,61.6]	
Obese	16.5	[15.6,17.4]		14	[12.4,15.7]		19.9	[15.4,25.2]	
No physical activity	13.8	[13.1,14.7]		11.9	[10.4,13.6]		14.6	[10.8,19.5]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		7.2	[6.0,8.7]		4.1	[2.4,6.9]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		6.7	[5.5,8.0]		5.2	[3.2,8.6]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	113.1	[101.2, 125.9]	331	98.1	[71.4, 131.8]	44
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	36.4	[32.6, 40.5]	336	34.1	[25.2, 45.1]	49
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	46.8	[42.9, 51.0]	551	55.0	[44.6, 67.6]	102
Assault†	30.3	[28.9, 31.8]	1706	6.4	[5.0, 8.1]	75	4.1	[1.7, 9.0]	8
Suicide†	43.3	[41.6, 45.1]	2443	31.3	[28.1, 34.6]	377	38.0	[29.5, 48.9]	71

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Auburn		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			62590		
Age 0-17 (%)	21.8%			25.9%			27.4%		
Age 65+ (%)	10.5%			9.2%			9.5%		
White (%)	80.0%			80.0%			89.6%		
Black (%)	6.3%			7.2%			2.7%		
American Indian/Alaska Native (%)	1.0%			1.3%			3.0%		
Asian/PI (%)	12.7%			11.5%			4.7%		
Hispanic (%)	6.0%			7.4%			7.0%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		10.0	[7.0,13.9]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		22.8	[17.2,29.4]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		61.6	[54.2,68.5]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		27.8	[21.4,35.2]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		19.1	[13.9,25.7]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		16.1	[11.0,22.8]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		12.4	[8.7,17.4]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	102.7	[77.0, 134.2]	53
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	99.3	[83.3, 117.5]	135
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	88.8	[75.6, 103.8]	163
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	30.8	[23.4, 40.0]	59
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	82.6	[70.1, 96.8]	156

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Burien/Des Moines		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			56344		
Age 0-17 (%)	21.8%			25.9%			22.5%		
Age 65+ (%)	10.5%			9.2%			14.7%		
White (%)	80.0%			80.0%			82.3%		
Black (%)	6.3%			7.2%			7.4%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.1%		
Asian/PI (%)	12.7%			11.5%			9.2%		
Hispanic (%)	6.0%			7.4%			9.0%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		7.3	[4.5,11.5]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		20.7	[14.9,28.0]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		56.7	[48.5,64.5]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		19.3	[14.1,26.0]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		17.8	[13.0,23.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		18	[11.8,26.5]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		10.5	[6.3,17.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	196.7	[154.6, 246.9]	74
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	78.2	[63.7, 95.0]	101
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	73.0	[60.5, 87.5]	120
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	36.3	[27.5, 47.0]	58
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	46.3	[36.5, 58.1]	76

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Federal Way		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			119091		
Age 0-17 (%)	21.8%			25.9%			27.5%		
Age 65+ (%)	10.5%			9.2%			7.8%		
White (%)	80.0%			80.0%			78.4%		
Black (%)	6.3%			7.2%			7.7%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.0%		
Asian/PI (%)	12.7%			11.5%			12.9%		
Hispanic (%)	6.0%			7.4%			7.2%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		10.0	[7.7,12.8]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		21.3	[17.6,25.7]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		60.7	[55.8,65.4]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		26.0	[21.8,30.7]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		19.3	[15.7,23.4]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		16.3	[13.0,20.4]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		13.7	[10.5,17.8]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	105.4	[86.1, 127.6]	104
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	84.7	[73.9, 96.7]	219
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	66.9	[58.3, 76.8]	229
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	27.6	[22.3, 34.0]	99
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	47.5	[40.7, 55.5]	175

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Kent		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			133415		
Age 0-17 (%)	21.8%			25.9%			28.1%		
Age 65+ (%)	10.5%			9.2%			7.1%		
White (%)	80.0%			80.0%			80.5%		
Black (%)	6.3%			7.2%			7.3%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.0%		
Asian/PI (%)	12.7%			11.5%			11.2%		
Hispanic (%)	6.0%			7.4%			7.0%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		11.6	[8.8,15.1]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		19.6	[16.2,23.6]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		61.2	[56.4,65.8]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		18.1	[14.9,21.9]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		19.3	[16.0,23.1]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		13.9	[10.7,17.8]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		11.7	[9.0,15.1]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	146.5	[125.1, 170.5]	166
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	69.6	[60.3, 79.9]	201
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	79.9	[71.0, 90.0]	310
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	26.9	[22.1, 32.8]	112
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	42.4	[36.3, 49.5]	178

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Renton		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			101700		
Age 0-17 (%)	21.8%			25.9%			22.3%		
Age 65+ (%)	10.5%			9.2%			10.5%		
White (%)	80.0%			80.0%			70.3%		
Black (%)	6.3%			7.2%			12.0%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.8%		
Asian/PI (%)	12.7%			11.5%			16.9%		
Hispanic (%)	6.0%			7.4%			6.4%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		12.0	[9.0,15.8]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		21.1	[17.1,25.8]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		57.7	[51.9,63.4]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		20.3	[16.0,25.4]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		18.2	[14.3,22.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		15.1	[11.1,20.0]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		9.5	[6.6,13.4]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	214.1	[180.8, 251.7]	146
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	58.3	[49.0, 68.9]	138
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	74.1	[64.7, 84.6]	226
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	30.2	[24.4, 37.1]	94
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	36.0	[29.7, 43.5]	114

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Southeast King County		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			29439		
Age 0-17 (%)	21.8%			25.9%			27.4%		
Age 65+ (%)	10.5%			9.2%			10.7%		
White (%)	80.0%			80.0%			96.9%		
Black (%)	6.3%			7.2%			0.5%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.5%		
Asian/PI (%)	12.7%			11.5%			1.2%		
Hispanic (%)	6.0%			7.4%			3.6%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		12.5	[7.4,20.4]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		32.5	[23.6,42.9]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		57.5	[46.4,67.9]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		24.0	[16.5,33.5]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		25.1	[16.1,36.9]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		13.7	[7.2,24.4]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		6.1	[3.1,11.7]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	57.4	[31.4, 96.1]	14
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	54.5	[38.0, 75.9]	35
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	111.9	[90.2, 137.5]	94
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	22.7	[13.6, 35.9]	19
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	52.9	[38.4, 71.4]	45

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Tukwila/SeaTac		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			30112		
Age 0-17 (%)	21.8%			25.9%			22.4%		
Age 65+ (%)	10.5%			9.2%			10.0%		
White (%)	80.0%			80.0%			73.8%		
Black (%)	6.3%			7.2%			10.7%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.3%		
Asian/PI (%)	12.7%			11.5%			14.1%		
Hispanic (%)	6.0%			7.4%			12.1%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		10.5	[6.5,16.5]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		21.4	[13.2,32.7]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		49.9	[39.1,60.7]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		23.3	[15.8,33.0]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		18.6	[11.6,28.6]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		22	[13.4,34.1]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		16.4	[10.2,25.3]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	196.5	[140.5, 267.7]	40
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	78.6	[59.3, 102.3]	55
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	69.6	[53.3, 90.3]	63
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	49.5	[36.3, 67.1]	47
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	53.4	[39.7, 71.4]	51

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			Vashon Island		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			10224		
Age 0-17 (%)	21.8%			25.9%			22.2%		
Age 65+ (%)	10.5%			9.2%			13.0%		
White (%)	80.0%			80.0%			96.0%		
Black (%)	6.3%			7.2%			1.0%		
American Indian/Alaska Native (%)	1.0%			1.3%			0.8%		
Asian/PI (%)	12.7%			11.5%			2.2%		
Hispanic (%)	6.0%			7.4%			2.8%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		7.6	[3.4,16.1]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		20.0	[12.1,31.1]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		49.6	[38.1,61.2]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		15.7	[9.1,25.8]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		6.5	[2.6,15.2]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		9.8	[5.2,17.9]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		8.8	[4.2,17.5]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	161.1	[80.6, 287.1]	11
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	12.6	[2.6, 35.7]	3
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	149.6	[103.0, 212.2]	38
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	23.9	[7.7, 58.6]	6
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	38.3	[18.2, 75.0]	11

Health Planning Areas in the South Region (ZIP code based):

	King County			South Region			White Center/Boulevard P		
DEMOGRAPHICS									
2003 Population Estimate									
Total Population	1779300			664244			59739		
Age 0-17 (%)	21.8%			25.9%			24.9%		
Age 65+ (%)	10.5%			9.2%			10.4%		
White (%)	80.0%			80.0%			73.2%		
Black (%)	6.3%			7.2%			8.3%		
American Indian/Alaska Native (%)	1.0%			1.3%			1.7%		
Asian/PI (%)	12.7%			11.5%			16.8%		
Hispanic (%)	6.0%			7.4%			13.4%		
HEALTH INDICATORS									
	Rate	95% CI	N	Rate	95% CI	N	Rate	95% CI	N
BRFSS Indicators, 5-Year Average, 2000-2004 (%)									
General Health is fair or poor	10.2	[8.8,13.2]		11.2	[6.8,9.5]		17.2	[11.4,25.0]	
Current Smoker	17.4	[16.5,18.3]		21.6	[19.9,23.4]		28.3	[21.1,36.8]	
Overweight	52.3	[51.1,53.5]		59.1	[56.9,61.2]		59.4	[50.8,67.5]	
Obese	16.5	[15.6,17.4]		21.3	[19.6,23.1]		21.3	[15.4,28.6]	
No physical activity	13.8	[13.1,14.7]		18.1	[16.6,19.8]		23.2	[16.7,31.4]	
Uninsured (age 18-64)	12.1	[11.3,13.0]		14.9	[13.3,16.6]		16.7	[11.5,23.7]	
Could not see a doctor due to cost	9.9	[9.1,10.6]		11.5	[10.2,12.9]		14.2	[9.6,20.4]	
Hospitalization (3-Year Average Rate Per 100,000 and 3-Year Total Number, 2002-2004)									
Childhood Asthma (Age <18)	166.1	[158.8, 173.6]	1945	145.0	[134.9, 155.8]	751	208.0	[168.0, 254.7]	93
Adult Asthma (Age 18+)	59.0	[56.7, 61.4]	2457	70.2	[66.0, 74.7]	1035	87.9	[72.7, 105.2]	118
Motor Vehicle Accident†	67.2	[65.0, 69.5]	3632	77.5	[73.6, 81.5]	1519	90.1	[76.7, 105.4]	162
Assault†	30.3	[28.9, 31.8]	1706	30.3	[27.9, 32.8]	610	43.5	[34.5, 54.3]	81
Suicide†	43.3	[41.6, 45.1]	2443	47.2	[44.2, 50.3]	964	48.2	[38.7, 59.6]	89